

PE Welding Tools and Machinery Catalogue

Issue: January 2024









TABLE 1 Electrofusion Machines

	Code	Size
Ŧ	Georg Fischer MSA Electrofusion Welders	
**************************************	EFM315MSA	20 - 315mm A compact, lightweight and easy to use EF Welder for fittings up to 315mm OD.
		Includes barcode scanner and transport case.
1. † +GF+	EFM2.1MSA	20 - 800mm A compact, lightweight and easy to use EF Welder with built in Bluetooth for fittings up to 800mm OD. Includes barcode scanner and transport case.
<u></u>	Calder Pegasus	
		20 - 630mm* A robust reliable EF Welder with built in Bluetooth to access the Caldersafe app.
	EFMPEGASUS	*Can weld fittings up to 1000mm with an extended cooling time.
		Includes Caldersafe, barcode scanner, 4.0 + 4.7 connectors, and transport case.

TABLE 2 EF Adaptor Pins (come in pairs)

	Code	Size	
	Pins for GF MSA Welder		
	EFWELDPIN4.0GF	Right angle Adaptor to suit 4.0mm Pin Black	
	For Fittings with 4.7mm Pins		
	EFWELDPIN4.7GF	Right angle Adaptor to suit 4.7mm Pin Grey	
	GF Fittings for alternative Welders with 4.7mm leads		
	EFWELDPIN4.7M	Straight Adaptor to suit 4.7mm Male x 4.0mm Female Clear	

Note: Contact Hynds Water for other sizes and further information on Electrofusion Machine Accessories

TABLE 3 Pipe Preparation Wipes

		Code	Size
Manage design of the state of t	EFWIPESGF	Pack of 100 pipe wipes, 99% Ethanol	
	EFWIPESIPA97	Tub of 150 pipe wipes (300 x 280mm), 97% IPA	
		EFWIPESIPA	Tub of 120 pipe wipes, 98% IPA

TABLE 4 Calderprep Plus Pipe End Peeling Toolkit

	Code	Size
	PEELPREP2063KIT	20 - 63mm
	PEELPREPDRIVE	Aluminium Power Drive Drill Adaptor
A CONTRACTOR OF THE PARTY OF TH	PEELPREPBLADE	Blade

TABLE 5 Calder Uniprep Pipe End Peeling Tools

	Code	Size
	PEELUNI63250	63 - 250mm Uniprep 4
A	PEELUNI125500	125 - 500mm Uniprep 2
	PEELUNI450710	450 - 710mm Uniprep 5 *
(G-	PEELUNI6301000	630 - 1000mm Uniprep 7 *

Note: Contact Hynds Water for other sizes and further information on Electrofusion Machine Accessories * Indent only

TABLE 6 GF RS Rotary Pipe End and Saddle Peeler

	Code	Size
	PEELERRS040GF	40mm *
	PEELERRS050GF	50mm *
	PEELERRS063GF	63mm
	PEELERRS075GF	75mm *
	PEELERRS090GF	90mm
	PEELERRS110GF	110mm
	PEELERRS125GF	125mm
	PEELERRS140GF	140mm *
	PEELERRS160GF	160mm *
	PEELERRS180GF	180mm
-	PEELERRS200GF	200mm *
10	PEELERRS225GF	225mm
C. Land	PEELERRS250GF	250mm
	PEELERRS280GF	280mm *
	PEELERRS315GF	315mm
	PEELERRSBLADEGF	Peeler Blade RS GF

Note: * Indent only

TABLE 7 RST Chain Peeler

Code	Size
PEELRST800	250 - 800mm
PEELRST1000	250 - 1000mm
PEELERRSTBLADE	Replacement Blade

TABLE 8 Rerounding Tools

	Code	Size	
	Rerounding Tool with Hinged	Collar	
	REROUND063	63mm	
6.	REROUND075	75mm	
	REROUND090	90mm	
	REROUND110	110mm	
→())-	REROUND125	125mm	
	REROUND160	160mm	
	REROUND180	180mm	
() (a	Rerounding Tool with Split Co	ollar C/W Ratchet	
	REROUNDS200	200mm	
	REROUNDS225	225mm	
100	REROUNDS250	250mm	
	Rerounding Tool 2 Segment S	Rerounding Tool 2 Segment Split Collar C/W Ratchet	
•	REROUNDS280	280mm*	
	REROUNDS315	315mm	
	REROUNDS355	355mm*	
	REROUNDS400	400mm*	
	Rerounding Tool 3 Segment v	vith Hydraulic Pump	
	REROUNDH630	630mm*	
	Ritmo Rerounding Tool		
	REROUND250400	250 - 400mm with case	
	REROUND450560	450 - 560mm with wheeled case	
C CC	REROUND630800	630 - 800mm with wheeled case	

Note: *Indent only

TABLE 9 Alignment Clamps

	Code	Size	
•	Alignment Clamp with Shells	Alignment Clamp with Shells - Straight	
Q	CLAMP063180S	63 - 90 - 125 - 180mm	
	Alignment Clamp with Shells	- Angle	
	CLAMP063180SA	63 - 180mm	
	K Strap Clamp 2 Way with a St	traight Base	
	CLAMPK063250	63 - 250mm	
	CLAMPK125500	125 - 500mm	
	K Strap Clamp 2 Way with an Angle Base		
	CLAMPK063250A	63 - 125mm	
	CLAMPK125500A	125 - 500mm	
	Super Clamps (can be used for	straight and reducing couplers)	
A Section of	CLAMPUNI016063	16 - 63mm Straight and Angle	
	CLAMPSUP016063	16 - 63mm Straight	
	CLAMPMEGA063125	63 - 125mm Straight	

TABLE 10 Pipe Handling Tools

Code	Size
PLIFT400	Pipe Lifter Adjustable up to 400mm
PROLLFLAT355	Pipe PE Roller Lay Flat Type up to 355mm
PROLLH710	Pipe Roller H Pattern Type 400 - 710mm

TABLE 11 Pipe Squeeze off Tools

 Code	Size
PSOT2042	20 - 42mm
PSOT2063SDR11	20 - 63mm SDR11
PSOT63200HYD	63 - 200mm Hydraulic SDR11

TABLE 12 Butt Welding Machines

	Code	Size
	GF 315 Butt Weld Machines (reduction clamps sold separately)	
* COPTION	BWM315MAN	90 - 315mm 230 Volts 3870 W
	BWM315CNC	90 - 315mm 230 Volts 3750 W
4.000	BWCLAMPSET315	90 - 280mm Reduction Clamp Set
P	GF 630 Butt Weld Machines (reduction cla	mps sold separately)
W HODE TOOK	BWM630MAN	315 - 630mm 400 Volts 11000 W
	BWM630CNC	315 - 630mm 400 Volts 11000 W
	BWCLAMPSET630	315 - 560mm Reduction Clamp Set
. ^	Calder Automatic BW Machine (reduction clamps sold separately)	
	BWM315GATOR	90 - 315mm 230 Volts
	BWMLIN31590	315 - 90mm Reduction Clamps
	BWM400GATOR	200 - 400mm 230 Volts
	BWMLIN400200	400 - 200mm Reduction Clamps

Contact Hynds Water for other sizes and further information on Butt Welding Machines. High Pressure Machines available on request.

HYNDS WATER CATALOGUE

Issue: January 2024

Branches Nationwide Support Office and Technical Services 09 274 0316

Disclaimer: While every effort has been made to ensure that the information in this document is correct and accurate, users of Hynds product or information within this document must make their own assessment of suitability for their particular application. Product dimensions are nominal only, and should be verified if critical to a particular installation. No warranty is either expressed, implied, or statutory made by Hynds unless expressly stated in any sale and purchase agreement entered into between Hynds and the user.

0800 93 7473 hyndswater.co.nz

